


2000
a




3600
3/4
H+E
b



1" NKL
6000
c



NON-FUNCTIONAL
500
d




600
e



40/
GOLD/
POLY
PEARL
1440
f



LEATHER
1400
g



800
YDS
H



3400
YDS
I



1800
YDS
J



900
YDS
K



2800
YDS
L




2100
YDS
m



1700
YDS
n




300
YDS
o




1200
YDS
p




1174	1 1/4	BLK	7200	x	A
1121	30	WHT	10,000	✓	B
1121	36	BLK	12000	x	C
1121	36	WHT	9000	✓	D



1194	1	BLK	1800	x	E
------	---	-----	------	---	---



1016	1/2"	WHT	10,000	✓	F
1314	1 1/2	BRN	5700	✓	G
	1 1/2	NAVY	2500	✓	H



1123	OVA	VXHT	28000	✓	I
1314	1 3/4	BRN	6200		J

Remco Button Co., Inc
 109 W. 38th Street - Rm. 204
 New York, N.Y. 10018



1181	1 1/4"	TORT	3700	✓	A
1314	1 1/4"	BLK	1300	X	B
1278	1 3/8	BLK	2500	X	C
1314	1"	BLK	3600	X	D
1314	3/4"	WHT	8600	✓	E
1314	1"	NAVY	9000	X	F
1314	1"	BRN	12,000	X	G
1314	1"	LEATHER	8500	X	H
1177	1"	BLK	7500	X	I
1177	1"	CLEAR	3600	✓	J